REMARKS

Claims 1-27 are now present in this application, with new claims 16-27 being added by the present Preliminary Amendment. It should be noted that the amendments to original claims 1-15 of the present application are non-narrowing amendments, made solely to place the claims in proper form for U.S. practice and not to overcome any prior art or for any other statutory considerations. For example, amendments have been made to broaden the claims; remove reference numerals in the claims; remove/change any phrases unique to European practice; remove multiple dependencies in the claims; and to place claims in a more recognizable U.S. form, including the use transitional phrase "comprising" as well the as "wherein". Other such non-narrowing amendments include placing apparatus-type claims (setting forth elements separate paragraphs) and method-type claims (setting forth elements in separate paragraphs) in a more recognizable U.S. form. Again, all amendments are non-narrowing and have been made solely to place the claims in proper form for U.S. practice and not to overcome any prior art or for any other statutory considerations.

CONCLUSION

Accordingly, in view of the above amendments and remarks, an early indication of the allowability of each of claims 1-27

New PCT National Phase Application Docket No. 37960-000105/US

in connection with the present application is earnestly solicited.

Should there be any outstanding matters that need to be resolved in the present application, the Examiner is respectfully requested to contact Donald J. Daley at the telephone number of the undersigned below.

If necessary, the Commissioner is hereby authorized in this, concurrent, and future replies, to charge payment or credit any overpayment to Deposit Account No. 08-0750 for any additional fees required under 37 C.F.R. § 1.16 or under

37 C.F.R. § 1.17; particularly, extension of time fees.

Respectfully submitted,
HARNESS, DICKEY & PIERCE, P.L.C

Donald J. Daley, Reg. No. 34,31

P.O. Box 8910 Reston, Virginia 20195 (703) 668-8000

DJD/bof